

4. Conclusions

In conclusion, we have successfully developed simple procedure for the efficient synthesis of triazol[1,2-a]indazole-triones using PEG-MRTDIL under mild reaction conditions. The mild reaction conditions, simple work-up in isolation of the products in good yields and high purity are features of this new procedure.

Acknowledgment

We gratefully thank Islamic Azad Universit Omidiyeh Branch, Omidiyeh, Iran for financial support.

References

- [1] (a) E.J. Noga, G.T. Barthalmus, M.K. Mitchell, *Cell Biol. Int. Rep.* 10 (1986) 239-247. (b) P.N. Craig, *Comprehensive Medicinal Chemistry*, C.J. Drayton, Ed.; Pergamon Press, New York, USA, 1991.
- [2] R.A. Izydore, I.H. Hall, U.S. Patent (1989) 4866058.
- [3] K.C. Joshi, P. Chand. *Pharmazie* 37 (1982) 864-865.
- [4] A.H. Abdel-Rahman, E.M. Keshk, M.A. Hanna, S.M. El-Bady, *Bioorg. Med. Chem.* 12 (2006) 2483-2488.
- [5] T.H. Kang, K. Matsumoto, Y. Murakami, H. Takayama, M. Kitajima, N. Aimi and H. Watanabe, *Eur. J. Pharmacol.* 444 (2002) 39-45.
- [6] (a) M. Sayyafi, M. Seyyedhamzeh, H.R. Khavasi, A. Bazgir, *Tetrahedron* 64 (2008) 2375-2378. (b) H.R. Shaterian, M. Ghashang, M. Feyzi, *Appl. Catal. A* 345 (2008) 128-133. (c) H.R. Shaterian, A. Hosseinian, M. Ghashang, *ARKIVOC* 2 (2009) 59-67. (d) J.M. Khurana, D. Magoo, *Tetrahedron Lett.* 50 (2009) 7300-7303. (e) M. Adharvana Chari, G. Karthikeyan, A. Pandurangan, T. Siddulu Naidu, B. Sathyaseelan, S.M. Javaid Zaidi, A. Vinu, *Tetrahedron Lett.* 51 (2010) 2629-2632. (f) A. Hasaninejad, A. Zare, M. Shekouhy, *Tetrahedron* 67 (2011) 390-400. (g) D. Azaria, R. Nejat-Yami, Z. Akrami, F. Sameri, S. Samadi, *Lett. Org. Chem.* 9 (2012) 128-132. (h) A. Bazgir, M. Seyyedhamzeh, Z. Yasaei, P. Mirzaei, *Tetrahedron Lett.* 48 (2007) 8790-8794. (i) A. Khazaei, M.A. Zolfigol, T. Faal-Rastegar, G. Chehardol, S. Mallakpour, *Iran. J. Catal.* 3 (2013) 211-220.
- [7] H.R. Shaterian, F. Khorami, A. Amirzadeh, R. Doostmohammadi, M. Ghashang, *J. Iran. Chem. Res.* 2 (2009) 57.
- [8] M.F. Hoover, *J. Macromol. Sci. Chem.* 4 (1970)1327-418.
- [9] S.M. Hamid, D.C. Sherrington, *Polymer* 28 (1987) 325-331.
- [10] S.M. Hamid, D.C. Sherrington, *Polymer* 28 (1987) 332-339.
- [11] J. Tang, M. Radosz, Y. Shen, *Macromolecules* 41 (2008) 493-496.
- [12] (a) Y.L. Wang, J. Luo, Z.L. Liu, *J. Chin. Chem. Soc.* 60 (2013) 1007-1013. (b) Y.L. Wang, J. Luo, T.J. Hou, Z.L. Liu, *Aust. J. Chem.* 66 (2013) 586-593. (c) J. Luo, T.T. Xing, Y.L. Wang, *New J. Chem.* 37 (2013) 269-273.
- [13] Y.L. Wang, Z. Li, J. Luo, Z.L. Liu, *J. Chin. Chem. Soc.* 60 (2013) 1431-1436.
- [14] (a) B.M. Godajdar, A.R. Kiasat, M.M. Hashemi, *J. Mol. Liq.* 183 (2013) 14-19. (b) B.M. Godajdar, A.R. Kiasat, M.M. Hashemi, *Heterocycles* 87 (2013) 559-570. (c) B.M. Godajdar, A.R. Kiasat, *J. Chil. Chem. Soc.* 58 (2013) 1850-1853. (d) B.M. Godajdar, S. Soleimani, *J. Chin. Chem. Soc.* 61 (2014) 447-452.
- [15] W. Ye, H. Jiang, X.C. Yang, *Chem. Sci.* 123 (2011) 331-334.
- [16] A.M. Boldi, C.R. Johnson, H.O. Eissa, *Tetrahedron Lett.* 40 (1999) 619-622.
- [17] Y. Arroya, J.F. Rodriguez, M. Santos, M.A. Sanz Tejedor, I. Vaco, R.J.L. Garcia, *Tetrahedron: Asymmetry* 15 (2004) 1059-1063.
- [18] A. Hassankhani, E. Mosaddegh, S.Y. Ebrahimipour, *Arabian J. Chem.* (2011) DOI:10.1016/j.arabjc.2011.10.003.
- [19] D.R. Chandam, A.G. Mulik, P.P. Patil, S.D. Jagdale, D.R. Patil, M.B. Deshmukh, *Res. Chem. Intermed.* 41 (2015) 761-771.