



















- [8] G. Mohammadi Ziarani, R. Moradi, N. Lashgari, A. Badiei, A. Abolhassani Soorki, Polycycl. Aromat. Compd. (2016) DOI: 10.1080/10406638.2016.1154579.
- [9] A.M. Liu, K. Hidajat, S. Kawi, D.Y. Zhao, Chem. Commun. (2000) 1145-1146.
- [10] N. Lashgari, A. Badiei, G. Mohammadi Ziarani, F. Faridbod, Anal. Bioanal. Chem. 409 (2017) 3175-3185.
- [11] N. Lashgari, A. Badiei, G. Mohammadi Ziarani, J. Phys. Chem. Solids 103 (2017) 238-248.
- [12] M. Karimi, A. Badiei, N. Lashgari, G. Mohammadi Ziarani, J. Porous Mater. (2017) DOI: 10.1007/s10934-017-0427-9.
- [13] T.P. Selvam, P.V. Kumar, Res. Pharm. 1 (2011) 1-21.
- [14] R.S. Hunoor, B.R. Patil, D.S. Badiger, R.S. Vadavi, K.B. Gudasi, C.V. Magannavar, I.S. Muchandi, Chem. Pharm. Bull. 58 (2010) 712-716.
- [15] E. Mikiciuk-Olasik, K. Baszczak-Światkiewicz, E. Żurek, U. Krajewska, M. Różalski, R. Kruszyński, T.J. Bartzak, Arch. Pharm. 337 (2004) 239-246.
- [16] A. Kamal, E.V. Bharathi, J.S. Reddy, M.J. Ramaiah, D. Dastagiri, M.K. Reddy, A. Viswanath, T.L. Reddy, T.B. Shaik, S.N.C.V.L. Pushpavalli, M.P. Bhadra, Eur. J. Med. Chem. 46 (2011) 691-703.
- [17] P.E. Petrides, Semin. Thromb. Hemost. 32 (2006) 399-408.
- [18] S. Clissold, R. Beresford, Drugs 33 (1987) 478-502.
- [19] M. Sharma, K. Chauhan, R. Shivahare, P. Vishwakarma, M.K. Suthar, A. Sharma, S. Gupta, J.K. Saxena, J. Lal, P. Chandra, J. Med. Chem. 56 (2013) 4374-4392.
- [20] A. Iwashita, K. Hattori, H. Yamamoto, J. Ishida, Y. Kido, K. Kamijo, K. Murano, H. Miyake, T. Kinoshita, M. Warizaya, FEBS Lett. 579 (2005) 1389-1393.
- [21] L. He, H. Li, J. Chen, X.-F. Wu, RSC Adv. 4 (2014) 12065-12077.
- [22] S.Y. Afsar, G. Mohammadi Ziarani, H. Mollabagher, P. Gholamzadeh, A. Badiei, A.A. Soorki, J. Iran. Chem. Soc. 14 (2017) 577-583.
- [23] D. Zhao, Q. Huo, J. Feng, B.F. Chmelka, G.D. Stucky, J. Am. Chem. Soc. 120 (1998) 6024-6036.
- [24] S. Hamoudi, A. El-Nemr, K. Belkacemi, J. Colloid Interface Sci. 343 (2010) 615-621.
- [25] A. Badiei, H. Goldooz, G. Mohammadi Ziarani, Appl. Surf. Sci. 257 (2011) 4912-4918.
- [26] T. Sasaki, C. Zhong, M. Tada, Y. Iwasawa, Chem. Commun. 19 (2005) 2506-2508.
- [27] K. Niknam, A. Piran, Green Sustainable Chem. 3 (2013) 1-8.
- [28] K. Niknam, A. Piran, Z. Karimi, J. Iran. Chem. Soc. 13 (2016) 859-871.
- [29] M. Nouri Sefat, D. Saberi, K. Niknam, Catal. Lett. 141 (2011) 1713-1720.
- [30] M. Baghernejad, K. Niknam, Internat. J. Chem. 4 (2012) 52-60.
- [31] Y. Hu, S. Tang, L. Jiang, B. Zou, J. Yang, H. Huang, Process Biochem. 47 (2012) 2291-2299.
- [32] B. Zou, Y. Hu, D. Yu, J. Xia, S. Tang, W. Liu, H. Huang, Biochem. Eng. J. 53 (2010) 150-153.
- [33] G. Mohammadi Ziarani, L. Seyedakbari, S. Asadi, A. Badiei, M. Yadavi, Res. Chem. Intermed. 42 (2015) 499-509.
- [34] G. Socrates, Infrared and Raman Characteristic Group Frequencies, John Wiley, 2004.
- [35] H.R. Shaterian, A.R. Oveisi, M. Honarmand, Synth. Commun. 40 (2010) 1231-1242.
- [36] A. Shaabani, A. Rahmati, J. Moghimirad, C.R. Chim. 11 (2008) 759-764.
- [37] L. Wu, E-J. Chem. 9 (2012) 739-743.
- [38] A. Moradi, R. Heydari, M.T. Maghsoodlou, Res. Chem. Intermed. 41 (2015) 7377-7391.
- [39] A. Shaabani, A. Rahmati, J. Moghimirad, J. Heterocycl. Chem. 45 (2008) 1629-1632.
- [40] H.R. Shaterian, N. Fahimi, K. Azizi, Res. Chem. Intermed. 40 (2014) 1879-1898.